


Network Protocols and Architectures

Introduction


What's the Internet: "nuts and bolts" view

- ❑ Millions of connected computing devices: *hosts, end-systems*
 - PC's workstations, servers
 - PDA's, phones, toastersrunning *network apps*
- ❑ *Communication links*
 - Fiber, copper, radio, satellite
- ❑ *Routers:* forward packets (chunks) of data through network



What's the Internet: "nuts and bolts" view


- ❑ **Protocols:** control sending, receiving of messages
 - E.g., TCP, IP, HTTP, FTP, PPP
- ❑ **Internet: "network of networks"**
 - Loosely hierarchical
 - Public Internet versus private intranet
- ❑ **Internet standards**
 - RFC: Request for comments
 - IETF: Internet Engineering Task Force



What's the Internet: A service view


- **Communication infrastructure** enables distributed applications:
 - WWW, email, games, e-commerce, database, voting,
 - More?
- **Communication services provided:**
 - Connectionless
 - Connection-oriented
- **cyberspace [Gibson]:**

“a consensual hallucination experienced daily by billions of operators, in every nation,”



A closer look at network structure

- ❑ **Network edge:**
applications and hosts
- ❑ **Network core:**
 - Routers
 - Network of networks
- ❑ **Access networks, physical media:**
Communication links



The network edge

□ End systems (hosts):


- Run application programs
- E.g., WWW, e-mail
- At "edge of network"

□ Client/server model

- Client host requests, receives services from server
- E.g., WWW client (browser)/server; e-mail client/server

□ Peer-peer model:

- Host interaction symmetric
- E.g., teleconferencing



Network edge: connection-oriented service

Goal: data transfer between end sys.

- *Handshaking:* setup (prepare for) data transfer ahead of time
 - Hello, hello back human protocol
 - *Set up "state"* in two communicating hosts
- TCP – Transmission Control Protocol
 - Internet's connection-oriented service

TCP service [RFC 793]

- *Reliable, in-order* byte-stream data transfer
 - Loss: acknowledgements and retransmissions
- *Flow control:*
 - Sender won't overwhelm receiver
- *Congestion control:*
 - Senders "slow down sending rate" when network congested

Network edge: connectionless service


Goal: Data transfer between end systems

- Same as before!

- **UDP** – User Datagram Protocol [RFC 768]:
Internet's connectionless service
 - Unreliable data transfer
 - No flow control
 - No congestion control

The network core


- Mesh of interconnected routers
- ***The fundamental question:***
How is data transferred through net?
 - **Circuit switching:**
Dedicated circuit per call: telephone net
 - **Packet switching:** Data sent through net in discrete “chunks”



Network core: Circuit switching

End-end resources reserved for "call"

- ❑ Link bandwidth, switch capacity
- ❑ Dedicated resources: no sharing
- ❑ Circuit-like (guaranteed) performance
- ❑ Call setup required




Network core: Packet switching

Each end-end data stream divided into *packets*

- ❑ Users' A, B packets *share* network resources
- ❑ Each packet uses full link bandwidth
- ❑ Resources used *as needed*

Network core: Packet switching



Packet-switching versus circuit switching:
Human restaurant analogy

Network core: Packet switching

Resource contention:

- ❑ Aggregate resource demand can exceed amount available
- ❑ Congestion: packets queue, wait for link use
- ❑ Store and forward: packets move one hop at a time
 - Transmit over link
 - Wait turn at next link

Packet switching vs. circuit switching

Is packet switching a “slam dunk winner?”

- ❑ Great for bursty data
 - Resource sharing
 - No call setup
- ❑ **Excessive congestion:** packet delay and loss
 - Protocols needed for reliable data transfer, congestion control
- ❑ **Q: How to provide circuit-like behavior?**
 - Bandwidth guarantees needed for audio/video apps still an unsolved problem

Packet-switched networks: Routing

- ❑ ***Goal:*** Move packets among routers from source to destination
 - We'll study several path selection algorithms
- ❑ **Datagram network:**
 - *Destination address* determines next hop
 - Routes may change during session
 - Analogy: driving, asking directions
- ❑ **Virtual circuit network:**
 - Each packet carries tag (virtual circuit ID), tag determines next hop
 - Fixed path determined at *call setup time*, remains fixed through call
 - Routers maintain per-call state

Protocol “layers”

Networks are complex!

- Many “pieces”:
 - Hosts
 - Routers
 - Links of various media
 - Applications
 - Protocols
 - Hardware, software

Question:

Is there any hope of
organizing structure of
network?

Or at least in our
discussion of networks?


Why layering?

Dealing with complex systems:

- Explicit structure allows identification, relationship of complex system's pieces
 - Layered **reference model** for discussion
- Modularization eases maintenance, updating of system
 - Change of implementation of layer's service transparent to rest of system
 - E.g., change in gate procedure does not affect rest of system
- Layering considered harmful?

Internet protocol stack


- ❑ **Application:** supporting network applications
- ❑ **Transport:** host-host data transfer
- ❑ **Network:** uniform format of packets, routing of datagrams from source to destination
- ❑ **Link:** data transfer between neighboring network elements
- ❑ **Physical:** bits “on the wire”



Layering: *Logical* communication

Each layer:


- ❑ Distributed
- ❑ "Entities" implement layer functions at each node
- ❑ Entities perform actions, exchange messages with peers




Layering: *Logical* communication

E.g., transport

- ❑ Take data from application
- ❑ Add addressing, reliability check info to form "datagram"
- ❑ Send datagram to peer
- ❑ Wait for peer to ack receipt
- ❑ Analogy: post office




Layering: *Physical* communication



Internet structure: Network of networks

- ❑ Roughly hierarchical
- ❑ **National/international backbone providers (NBPs)**
 - E.g., BBN/GTE, Sprint, AT&T, IBM, UUNet
 - Interconnect (peer) with each other privately, or at public Network Access Point (NAPs)
- ❑ **Regional ISPs**
 - Connect into NBPs
- ❑ **Local ISP, company**
 - Connect into regional ISPs



Principles of the Internet

- ❑ Edge vs. core (end-systems vs. routers)
 - Dumb network
 - Intelligence at the end-systems
- ❑ Different communication paradigms
 - Connection oriented vs. connection less
 - Packet vs. circuit switching
- ❑ Layered System
- ❑ Network of collaborating networks